



**NON-STICK red**

*The new bipolar forceps from KLS Martin –  
with NON-STICK effect and a revolutionary  
ergonomic design*

**r**evolutionary  
**e**rgonomic  
**d**esign





## NON-STICK **red**

*The new bipolar forceps*

from KLS Martin – with NON-STICK effect  
and a revolutionary ergonomic design



“With the new KLS Martin bipolar NON-STICK **red** forceps, tissue sticking to the tips of the instrument is definitely a problem of the past.

Especially for operations involving extremely fine dissection (such as parotid and thyroid interventions or microvascular tissue transfer), the use of this new generation of bipolar forceps provides significant advantages due to their exceptional haptic quality: minimized risk of procedures, gentler operating technique and shorter operating times. The tips of the instrument need to be cleaned considerably less often during interventions and the cleaning process itself is much faster as well.

We simply wouldn't like to do without these forceps.”

Dr. Paul-Stefan Mauz (M.D.)  
Senior Consultant  
Tübingen University Hospital  
Department of Otorhinolaryngology

**r**evolutionary  
**e**rgonomic  
**d**esign

# NON-STICK **red**


*The new generation of bipolar forceps*  
with NON-STICK effect  
and a revolutionary ergonomic design

## *The new generation of bipolar forceps*

Who hasn't encountered this everyday operating situation when working with conventional bipolar forceps? The tissue tends to stick to the tips of the instrument during coagulation and when withdrawing the instrument, the coagulated tissue is torn open again.


The result is renewed bleeding. Now, this unwelcome effect can be prevented by using KLS Martin NON-STICK **red**, the new and innovative generation of bipolar forceps – the coagulated tissue is no longer disrupted when opening the instrument.

What's more, the cumbersome and time-consuming process of cleaning the tips of the forceps during operations is largely eliminated at the same time. This means fewer interruptions of the surgical procedure and corresponding time savings.



## NON-STICK **red**

## Standard forceps




Coagulating produces so-called "hot spots".




Thanks to the special alloy used for the tips of the forceps, the heat can be discharged quickly and effectively.



This prevents the tissue from sticking to the tips of the forceps.




Coagulating produces so-called "hot spots".



As the heat cannot be discharged, overheating is the inevitable result.



Tissue tends to stick to the tips of the forceps. When opening the instrument, charred tissue is torn off in the process.




Thermography image of the NON-STICK **red** forceps

### *Improved heat conductivity*

A special feature does the trick – polished noble-metal tips offering excellent heat conductivity. Thanks to this property, the tissue cannot adhere to the tips of the forceps.

The heat is discharged from the tips quickly and effectively. And what's more, the NON-STICK effect will last because the tips are not merely coated, but made of solid noble metal.



Thermography image of a standard bipolar forceps


### *Heat conductivity standard forceps*

The thermography image shown here demonstrates that in the case of a standard bipolar forceps, the heat becomes trapped at the tips of the forceps. The heat cannot be quickly and effectively transported away. The tips of the forceps become clogged with tissue as a result.

# NON-STICK **red**

## Variety of models



The new bipolar NON-STICK **red** forceps from KLS Martin are available in all usual sizes for the most diverse fields of use.



## The tips of the forceps

The tips are precision-made and available in different sizes for extremely accurate surgical use. By adjusting the pressure applied, the user can coagulate merely with the tips or by using the full surfaces.

The polished noble-metal tips are excellent heat conductors preventing tissue adhesion.



## marSIGHT

The special geometry of the forceps tips gives the surgeon an unobstructed view of the surgical site and the tissue to be coagulated. Moreover, the tips enable you to grasp tissue with utmost precision. Don't miss out on the experience!

The models featuring tips with marSIGHT geometry are clearly marked in this brochure.





# revolutionary ergonomic design



## Guiding mechanism

The guiding mechanism ensures the accurate, highly parallel closure of the pre-tensioned forceps and prevents “tip spread” as well. This, in turn, prevents fatigue in the user’s hand and facilitates the dissecting process.




## Connection

The bipolar NON-STICK **red** forceps can be used with any commonly available HF generator. Special connecting cables are available for this purpose.



## marGRiP

The ergonomic handle surface provides for secure handling and prevents fatigue in the user’s hand.



## Shank geometry

Thanks to the view-optimized geometry of the shanks of the forceps, the surgeon’s hand and the cable connector are kept out of the surgical field. This is particularly advantageous when working under the operating microscope.

**r**evolutionary  
**e**rgonomic  
**d**esign

*Bipolar forceps, KLS Martin NON-STICK red, straight*



|                     | Tip width | Length       | Item No.     |
|---------------------|-----------|--------------|--------------|
| <b>marSIGHT tip</b> |           |              |              |
| 0.3 mm              |           |              |              |
|                     |           | 12 cm/4 3/4" | 80-982-12-04 |
|                     |           | 17 cm/6 1/4" | 80-982-17-04 |
|                     |           | 20 cm/8"     | 80-982-20-04 |
|                     |           | 23 cm/9"     | 80-982-23-04 |
| <b>marSIGHT tip</b> |           |              |              |
| 0.6 mm              |           |              |              |
|                     |           | 12 cm/4 3/4" | 80-984-12-04 |
|                     |           | 17 cm/6 1/4" | 80-984-17-04 |
|                     |           | 20 cm/8"     | 80-984-20-04 |
| <b>Standard tip</b> |           |              |              |
| 1.0 mm              |           |              |              |
|                     |           | 12 cm/4 3/4" | 80-986-12-04 |
|                     |           | 17 cm/6 1/4" | 80-986-17-04 |
|                     |           | 20 cm/8"     | 80-986-20-04 |
|                     |           | 23 cm/9"     | 80-986-23-04 |
| <b>Standard tip</b> |           |              |              |
| 2.0 mm              |           |              |              |
|                     |           | 17 cm/6 1/4" | 80-988-17-04 |
|                     |           | 20 cm/8"     | 80-988-20-04 |
|                     |           | 23 cm/9"     | 80-988-23-04 |

1/1

80-982-12-04  
12 cm/4 3/4"  
pointed, 0.3 mm

Example illustration



# revolutionary ergonomic design

Bipolar forceps, KLS Martin NON-STICK *red*,  
angled



80-983-12-04  
12 cm/4 3/4"  
pointed, 0.3 mm

Example illustration

|                | Tip width | Length       | Item No.     |
|----------------|-----------|--------------|--------------|
| <b>pointed</b> |           |              |              |
|                | 0.3 mm    | 12 cm/4 3/4" | 80-983-12-04 |
|                | 0.3 mm    | 17 cm/6 1/4" | 80-983-17-04 |
| <b>blunt</b>   |           |              |              |
|                | 0.6 mm    | 12 cm/4 3/4" | 80-985-12-04 |
|                | 0.6 mm    | 17 cm/6 1/4" | 80-985-17-04 |
|                | 0.6 mm    | 20 cm/8"     | 80-985-20-04 |
| <b>blunt</b>   |           |              |              |
|                | 1.0 mm    | 12 cm/4 3/4" | 80-987-12-04 |
|                | 1.0 mm    | 17 cm/6 1/4" | 80-987-17-04 |
|                | 1.0 mm    | 20 cm/8"     | 80-987-20-04 |
|                | 1.0 mm    | 23 cm/9"     | 80-987-23-04 |
| <b>blunt</b>   |           |              |              |
|                | 2.0 mm    | 17 cm/6 1/4" | 80-989-17-04 |
|                | 2.0 mm    | 20 cm/8"     | 80-989-20-04 |
|                | 2.0 mm    | 23 cm/9"     | 80-989-23-04 |
|                | 2.0 mm    | 25 cm/9 3/4" | 80-989-25-04 |
|                | 2.0 mm    | 28 cm/11"    | 80-989-28-04 |



Example illustration


**r**evolutionary  
**e**rgonomic  
**d**esign

*Bipolar forceps, KLS Martin NON-STICK red, bayonet-shaped*

|                     | Tip width | Length       | Item No.     |
|---------------------|-----------|--------------|--------------|
| <b>marSIGHT tip</b> |           |              |              |
| <b>pointed</b>      |           |              |              |
|                     | 0.3 mm    | 17 cm/6 1/4" | 80-990-17-04 |
|                     | 0.3 mm    | 20 cm/8"     | 80-990-20-04 |
|                     | 0.3 mm    | 23 cm/9"     | 80-990-23-04 |
|                     | 0.3 mm    | 25 cm/9 3/4" | 80-990-25-04 |
| <b>blunt</b>        |           |              |              |
|                     | 0.6 mm    | 17 cm/6 1/4" | 80-991-17-04 |
|                     | 0.6 mm    | 20 cm/8"     | 80-991-20-04 |
|                     | 0.6 mm    | 23 cm/9"     | 80-991-23-04 |
|                     | 0.6 mm    | 25 cm/9 3/4" | 80-991-25-04 |
| <b>Standard tip</b> |           |              |              |
| <b>blunt</b>        |           |              |              |
|                     | 1.0 mm    | 17 cm/6 1/4" | 80-992-17-04 |
|                     | 1.0 mm    | 20 cm/8"     | 80-992-20-04 |
|                     | 1.0 mm    | 23 cm/9"     | 80-992-23-04 |
|                     | 1.0 mm    | 25 cm/9 3/4" | 80-992-25-04 |
| <b>Standard tip</b> |           |              |              |
| <b>blunt</b>        |           |              |              |
|                     | 2.0 mm    | 17 cm/6 1/4" | 80-993-17-04 |
|                     | 2.0 mm    | 20 cm/8"     | 80-993-20-04 |
|                     | 2.0 mm    | 23 cm/9"     | 80-993-23-04 |
|                     | 2.0 mm    | 25 cm/9 3/4" | 80-993-25-04 |







Example illustration



**r**evolutionary  
**e**rgonomic  
**d**esign

*Bipolar forceps, KLS Martin NON-STICK **red**,  
bayonet-shaped, angled*

|   | Tip width | Length       | Item No.     |
|---|-----------|--------------|--------------|
| <b>Standard tip</b>   |           |              |              |
|    | 0.6 mm    | 8 mm         |              |
| <b>blunt</b>  |           |              |              |
|   | 0.6 mm    | 23 cm/9"     | 80-997-23-04 |
|   | 0.6 mm    | 25 cm/9 3/4" | 80-997-25-04 |
| <b>Standard tip</b>   |           |              |              |
|  | 0.6 mm    | 8 mm         |              |
| <b>blunt</b>  |           |              |              |
|   | 0.6 mm    | 23 cm/9"     | 80-996-23-04 |
|   | 0.6 mm    | 25 cm/9 3/4" | 80-996-25-04 |
| <b>Standard tip</b>   |           |              |              |
|  | 1.0 mm    | 8 mm         |              |
| <b>blunt</b>  |           |              |              |
|   | 1.0 mm    | 20 cm/8"     | 80-994-20-04 |
|   | 1.0 mm    | 23 cm/9"     | 80-994-23-04 |
|   | 1.0 mm    | 25 cm/9 3/4" | 80-994-25-04 |
| <b>Standard tip</b>   |           |              |              |
|  | 1.0 mm    | 8 mm         |              |
| <b>blunt</b>  |           |              |              |
|   | 1.0 mm    | 20 cm/8"     | 80-995-20-04 |
|   | 1.0 mm    | 23 cm/9"     | 80-995-23-04 |
|   | 1.0 mm    | 25 cm/9 3/4" | 80-995-25-04 |

Bipolar forceps,  
KLS Martin NON-STICK *red*,  
angled



*Connecting cables for bipolar forceps  
with angled plugs*



80-291-40-04  
4 m/13 ft.  
Connecting cable for bipolar instruments  
for KLS Martin and Berchtold HF units



80-286-40-04  
4 m/13 ft.  
Connecting cable for bipolar instruments  
for maxium® "e"-version / Erbe HF units ICC  
and ACC/VIO



80-293-40-04  
4 m/13 ft.  
Connecting cable for bipolar instruments  
for maxium® "i"-version, ME MB2 "i"-version /  
Valleylab HF units



### Storage and transport


To store and transport your NON-STICK **red** forceps safely and securely, we recommend using the new KLS Martin mesh tray system.

A lid is optionally available for each tray size, to be easily locked in place by simply folding down the tray handles.

The forceps can be fixed in place in the tray fully in accordance with your needs.



Equipment example



Fixing elements are available as 6-item strips with three holding clips. However, you can easily cut up the strips with a pair of scissors – just as you need it.

For forceps with a maximum length of 23 cm, we recommend the following configuration:

| Item No.     | Designation                       | Quantity |
|--------------|-----------------------------------|----------|
| 55-804-25-01 | Mesh tray, 243 x 255 x 53 mm      | 1        |
| 55-805-28-01 | Lid, 243 x 255 mm                 | 1        |
|              | <b>Fixing elements</b>            |          |
| 55-806-02-04 | Clip for fixing element (10/pack) | 1        |
| 55-806-07-04 | Fixing element (6/pack)           | 2        |

For forceps longer than 23 cm, a ¾-size tray should be used.

| Item No.     | Designation                       | Quantity |
|--------------|-----------------------------------|----------|
| 55-804-42-01 | Mesh tray, 410 x 255 x 53 mm      | 1        |
| 55-805-45-01 | Lid, 410 x 255 mm                 | 1        |
|              | <b>Fixing elements</b>            |          |
| 55-806-02-04 | Clip for fixing element (10/pack) | 1        |
| 55-806-07-04 | Fixing element (6/pack)           | 2        |





*For an overview of the whole range of KLS Martin HF products, please refer to our Catalog "Accessories for electro-surgery".*

Printed version  
90-302-48-08



The respectful treatment of people, society and the environment has always been a matter of course to us. By design, most of our products can be recycled and used over many years, thus saving resources and reducing waste. Environment-friendly and recyclable materials are used also for our production processes, and energy and water consumption monitoring is a top priority as well. A case in point: our largest manufacturing site includes a heat recovery plant for efficient energy utilization. These and many other measures are clear evidence of our environmental commitment.

For further information, please refer to separate GoGreen brochure.

## KLS Martin Group

**Karl Leibinger Medizintechnik GmbH & Co. KG**  
78570 Mühlheim · Germany  
Tel. +49 7463 838-0  
info@klsmartin.com

**KLS Martin GmbH + Co. KG**  
79224 Umkirch · Germany  
Tel. +49 7665 9802-0  
info@klsmartin.com

**Stuckenbrock Medizintechnik GmbH**  
78532 Tuttlingen · Germany  
Tel. +49 7461 165880  
verwaltung@stuckenbrock.de

**Rudolf Buck GmbH**  
78570 Mühlheim · Germany  
Tel. +49 7463 99516-30  
info@klsmartin.com

**KLS Martin France SARL**  
68200 Mulhouse · France  
Tel. +33 3 8951 3150  
france@klsmartin.com

**Martin Italia S.r.l.**  
20871 Vimercate (MB) · Italy  
Tel. +39 039 605 6731  
italia@klsmartin.com

**Martin Nederland/Marned B.V.**  
1271 AG Huizen · The Netherlands  
Tel. +31 35 523 4538  
nederland@klsmartin.com

**KLS Martin UK Ltd.**  
Reading RG1 3EU · United Kingdom  
Tel. +44 1189 000 570  
uk@klsmartin.com

**Nippon Martin K.K.**  
Osaka 541-0046 · Japan  
Tel. +81 6 62 28 9075  
nippon@klsmartin.com

**KLS Martin L.P.**  
Jacksonville, FL 32246 · USA  
Tel. +1 904 641 7746  
usa@klsmartin.com

**Gebrüder Martin GmbH & Co. KG**  
Representative Office  
121471 Moscow · Russia  
Tel. +7 499 792-76-19  
russia@klsmartin.com

**Gebrüder Martin GmbH & Co. KG**  
Representative Office  
201203 Shanghai · China  
Tel. +86 21 2898 6611  
china@klsmartin.com

**Gebrüder Martin GmbH & Co. KG**  
Representative Office  
Dubai · United Arab Emirates  
Tel. +971 4 454 16 55  
middleeast@klsmartin.com

1923 | SURGICAL  
2013 | INNOVATION  
YEARS

**Gebrüder Martin GmbH & Co. KG**  
A company of the KLS Martin Group  
KLS Martin Platz 1 · 78532 Tuttlingen · Germany  
Postfach 60 · 78501 Tuttlingen · Germany  
Tel. +49 7461 706-0 · Fax +49 7461 706-193  
info@klsmartin.com · www.klsmartin.com

